

From: [Ex. 4 - CBI]
Sent: 2/9/2012 11:34:31 AM
To: Fred Foreman/ESC/R3/USEPA/US@EPA; Terry Simpson/ESC/R3/USEPA/US@EPA
CC: Colleen Walling/ESC/R3/USEPA/US
Subject: Fw: 180-2644-01 - Validated Electronic Data for Dimock Residential Groundwater

Per Fred's request.

[Ex. 4 - CBI]
Lockheed Martin IS&GS - Civil
Energy & Environment
ESAT Region 3
US EPA Environmental Science Center
701 Mapes Road
Ft. Meade, MD 20755-5350

Ex. 4 - CBI

----- Forwarded by [Ex. 4 - CBI] on 02/09/2012 11:33 AM -----

From: [Ex. 4 - CBI]
To: Richard Fetzer/R3/USEPA/US@EPA
Cc: [Ex. 4 - CBI] gnance@techlawinc.com
Date: 02/07/2012 12:21 PM
Subject: 180-2644-01 - Validated Electronic Data for Dimock Residential Groundwater

Richard Fetzer
US EPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029

Dear Richard,

Attached to this message you will find electronic files containing the validation report and validated inorganic data for the Dimock Residential Groundwater site, Case # 180-2644-01, 2 samples. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, Colleen Walling by phone at 410-305-2763 or e-mail at Walling.Colleen@epa.gov if additional assistance is needed.

TO # 0037 TDF # 01079A

Sincerely,
[Ex. 4 - CBI]
Lockheed Martin IS&GS - Civil
Energy & Environment
ESAT Region 3
701 Mapes Road
Ft. Meade, MD 20755-5350

Ex. 4 - CBI

